



ZAZA 2 BIG ZIP



Safety Line / Ligne de vie :
 ø 12 mm or 1/2"


Galvanized steel wire rope with metal core /
 Câble acier galvanisé avec âme métallique :-
 -7x19
 -Non rotating wire rope / Anti-giratoire
 -6x26 Swaged/ Compacté

For any other type: do tests
Pour tout autre type : faire des tests



**NORMES
STANDARDS**




EN 15567-1
EN 13411-1/7



EXEMPLES DE FIXATIONS / EXAMPLES OF FIXATIONS





Evaluation de la résistance des supports / Evaluation of the resistance of supports
 Prevoir une note de calcul de charge du câble / Plan a note of calculation of load of the cable




CÂBLES ø12 or 1/2"
ÂME METALLIQUE
OK! METALLIC CORE

Chain Ø13 mm
Grade 80 mini



Operation 1



x2  **MANILLE LYRE / BOW SHACKLE**
= HR4T750 - HS 3/4"


NORMES DE MONTAGE STANDARDS OF ASSEMBLY



EN 15567-1
EN 13411-1/7
STANDARDS - ACCT

Operation 2

x9  **ZAZA2 JAWS**




= MONO CABLE




PLAQUE DE GUIDAGE OBLIGATOIRE!
MANDATORY GUIDING PLATE !


ZAZA2 JAWS=  45 Nm



Même sens de montage
Same assembly direction



Operation 3



POSITIONNEMENT DE L'OUTIL de TENSION
POSITION TENSION TOOL

TENSION


OUTIL DE TRACTION

TOOL TRACTION




=Ø16 standard N = ZIPLINE <800m

CT/WLL 3500Kg



= OBSERVER LE SENS DE CIRCULATION DU CROCHET
 OBSERVE THE DIRECTION OF CIRCULATION OF THE SAFETY HOOK




Operation 4

● RECOMMANDATION DE MONTAGE
 RECOMMENDATION of ASSEMBLY

Le montage doit être validé par un bureau d'ingénieur et doit comporter une platine de Backup de chaque cotés
The assembly must be validated by an engineering office and must include a Backup plate on each side.

 **Evaluation de la résistance des supports / Evaluation of the resistance of supports**
Prevoir ue note da calcul de charge du câble/ Plan a note of calculation of load of the cable



NORMES DE MONTAGE
STANDARDS OF ASSEMBLY

 EN 15567-1
 EN 13411-1/7

 **PLATINE = POSITION VERTICAL**
PLATE = VERTICAL POSITION



CAUTION / MISE EN GARDE

it's imperative to have a backup (redundancy plate)
il faut impérativement une platine de redondance